Amendment

Amendment to Claims

Please amend the claims as shown below.

- 1. (Currently amended) A portable communication device comprising:
- a display; and
- a detachable joystick; wherein the portable communication device is adapted to receive the detachable joystick, and the detachable joystick provides a user input indicated with the display, and wherein the detachable joystick is capable of being stored within the portable communication device when not in use and includes a user depressible button.
 - 2. Cancel claim 2.
 - 3. (Previously Cancelled)
- 4. (Original) The portable communication device of claim 1, wherein the detachable joystick is adapted to indicate desired movement of a cursor on the display.

- 5. (Original) The portable communication device of claim 1, wherein the detachable joystick is adapted to select an icon on the display.
- 6. (Original) The portable communication device of claim 1, further comprising motion sensors to sense movement of the detachable joystick.
- 7. (Original) The portable communication device of claim 1, wherein an active operational mode of the portable communication device is initiated upon placement of the detachable joystick into the portable communication device.
- 8. (Original) The portable communication device of claim 1, wherein an inactive mode of the portable communication device is initiated upon removal of the detachable joystick into the portable communication device.
- 9. (Original) The portable communication device of claim 1, wherein the detachable joystick comprises ink.
- 10. (Original) The portable communication device of claim 1, wherein the detachable joystick is adapted to indicate movement across the display on a pixel ¬by-pixel basis.

- 11. (Original) The portable communication device of claim 1, wherein the portable communication device is a cellular phone.
 - 12. (Currently amended) A method comprising:

providing user input to a portable communication device using a detachable joystick and/or a user depressible button, wherein the detachable joystick is capable of being stored within the portable communication device when not in use.

- 13. (Original) The method of claim 12, further comprising moving the detachable joystick, wherein movement of the detachable joystick approximately corresponds to movement of a cursor on a display.
- 14. (Original) The method of claim 13, further comprising selecting an icon on the display.
 - 15. Cancel claim 15.
- 16. (Original) The method of claim 12, further comprising inserting the detachable joystick into the portable communication device.

- 17. (Original) The method of claim 16, wherein inserting the detachable joystick enables operation of the portable communication device.
- 18. (Original) The method of claim 12, further comprising initiating a cellular communication with the detachable joystick.
- 19. (Original) The method of claim 12, further comprising removing the detachable joystick from the portable communication device. 5
- 20. (Original) The method of claim 19, wherein removing the detachable joystick disables operation of the portable communication device.
 - 21. (Currently amended) An apparatus comprising:
 - a processor;
 - a static random access memory coupled to the processor;
 - communication module to transmit a wireless communication; a display; and
- a detachable joystick to provide a user input indicated with the display, wherein the detachable joystick is capable of being stored within the portable communication device when not in use and capable of input using a depressible button on said detachable joystick..

- 22. (Original) The apparatus of claim 21, wherein the detachable joystick comprises a user depressible button.
- 23. (Original) The apparatus of claim 21, wherein the apparatus is adapted to store the detachable joystick when not in use.
- 24. (Original) The apparatus of claim 21, wherein an active operational mode is initiated upon placement of the detachable joystick into the apparatus.
- 25. (Original) The apparatus of claim 21, wherein the detachable joystick comprises ink.